



aerospace  
climate control  
electromechanical  
**filtration**  
fluid & gas handling  
hydraulics  
pneumatics  
process control  
sealing & shielding



# Additive Products

For Diesel and Gasoline Applications



ENGINEERING YOUR SUCCESS.



## Biodiesel Challenges

All diesel fuels contain wax, and below a certain temperature, will undergo changes such as crystallization, gelling, or viscosity increase. These changes reduce the ability of the fuel to flow and create filter plugging concerns, adversely affecting the operability of vehicles.

With traditional diesel, operability concerns are understood. Today, with well established additive treatments, operability issues have become increasingly rare. But with biodiesel, there are some new challenges:

- Wax crystallization begins at higher temperatures in biodiesel and biodiesel blends, causing them to gel faster than conventional fuels
- The pour and cold filter plugging points can occur at too high of a temperature to meet specifications and winter requirements
- Traditional cold flow additives are often not effective in biodiesel stocks

Since the introduction of biodiesel, several performance concerns have been raised.

- Deposits can block injectors, impacting fuel metering, and leading to deteriorations in driveability, economy, and emissions. Biodiesel has a reputation for increasing injector deposits
- Foaming can also increase with biodiesel use
- Biodiesels may contain a high amount of emulsified water which can lead to corrosion and increased wear on engine
- Biodiesel often has stability problems associated with its lack of antioxidants

## Diesel Conditioner Plus+

Diesel Conditioner Plus+ is a multi-functional fuel additive for all seasons. Its formulation contains a superior detergent rating and a cetane improver which enhances power delivery, starting, and helps engines run smoother and quieter.

- Passes BOCLE test for lubricity
- Reduces rust and corrosion in fuel systems
- Contains lubricity additive to reduce friction; prevents wear and tear, extending engine life
- Stabilizes fuel quality during prolonged storage
- Promotes oxidative stability
- Improved fuel economy and lower emissions
- Reduces injector coking
- Reduces sediment formation which can result in reduced maintenance



- Dissolves gum and varnishes to keep fuel system clean
- Cetane improver for added engine performance
- Alcohol free

Part Number	Container Size	Treats
ADT 1116	16 ounces	320 gallons
ADT 1201	1 gallon	2,560 gallons

## Diesel Biocide

Diesel Biocide is a multi-functional petroleum additive that is used to help maintain color stability and clarity. It can be used to eliminate and/or prevent the growth of bacteria, fungi, organic reactions, sludge formation, and also acts as a corrosion inhibitor.

- Excellent for use with all forms of Biodiesel
- Formulated to treat more forms of algae and bacteria than other brands
- Concentrated formula treats more gallons per ounce
- EPA approved as both a biocide and aftermarket fuel additive
- Prevents internal corrosion from microbial fouling



- Fuel and water soluble
- Does not cause foaming
- Promotes fuel stability during storage

Part Number	Container Size	Treats
ADT 2116	16 ounces	1,280 gallons
ADT 2201	1 gallon	10,240 gallons
ADT 2405	5 gallon	51,200 gallons
ADT 2555	55 gallon drum	563,200 gallons

## Diesel Performance Plus+

Diesel Performance Plus+ is specifically formulated to help your engine reach its optimum performance. It improves horsepower and combustion allowing for better fuel economy and longer engine life. The added performance comes with improved lubricity for better fuel system protection.

- Noticeably improves horsepower
- Better fuel economy through more efficient combustion
- Detergency additive extends service intervals
- Formulated for smooth starting
- Lubricity additive extends component life
- Stabilizes fuel quality during prolonged storage
- Dissolves gum and varnish to keep fuel systems clean



- Lubricity improver passes HFRR Lubricity Test for diesel fuel per ASTM D6079-99
- Stabilizes fuel and prevents corrosion per ASTM D665A
- Alcohol free

Part Number	Container Size	Treats
ADT 3116	16 ounces	80 gallons

## Gasoline Conditioner Plus+

**Gasoline Conditioner Plus+** is a multifunctional gasoline additive which cleans as it protects. It can be used with all types of internal combustion systems and gasoline blends. By cleaning the engine's fuel injectors and carburetor, it provides better combustion, better fuel economy, and lower exhaust emissions.

- Cleans the fuel delivery and intake system providing fuel economy and reduced emissions
- Protects intake system against corrosion
- Use with leaded or unleaded gasoline, gasohol, and ethanol in two and four cycle engines
- Prevents accumulation of deposits
- Improves efficiency of fuel filter/water separators through deemulsification
- Compatible with terminal and mobile fuel systems
- Formulated to not harm catalytic converters



- Stabilizes fuel during storage
- Alcohol free

Part Number	Container Size	Treats
ADT 5116	16 ounces	320 gallons



## Diesel Winter Plus+

Diesel Winter Plus+ is added to middle petroleum distillates such as No. 2 heating oil or diesel fuel to improve their low temperature operability as measured by pour point and cold filter plugging point. It prevents the plugging of lines, filter screens, and valves, and contains a deicer, which can help reduce line freezing.

- Improves fuel flow and facilitates cold weather starting, inhibits fuel icing, waxing, and gelling in cold weather
- Depresses the pour point by modifying the diesel wax crystal structure
- Improves efficiency of fuel filter/water separators through deemulsification
- Smoother, quieter engine operation
- Prevents corrosion
- Stabilizes fuel quality during prolonged storage
- Contains a cetane improver and deicer
- Alcohol free

Part Number	Container Size	Treats
ADT 4116	16 ounces	128 gallons
ADT 4201	1 gallon	1,024 gallons
ADT 4555	55 gallon drum	56,320 gallons

Parker Hannifin Corporation  
**Filtration Group**  
**Global Headquarters**  
 6035 Parkland Boulevard  
 Cleveland, OH 44124-4141  
 T 216 896 3000, F 216 896 4021  
[www.parker.com](http://www.parker.com)

**North America**  
**Compressed Air Treatment**  
**Filtration & Separation/Balston**  
 242 Neck Road  
 Haverhill, MA 01835-0723  
 T 978 858 0505, F 978 858 0625  
[www.parker.com/balston](http://www.parker.com/balston)

**Filtration & Separation/Finite**  
 500 Glaspie Street, PO. Box 599  
 Oxford, MI 48371-5132  
 T 248 628 6400, F 248 628 1850  
[www.parker.com/finitefilter](http://www.parker.com/finitefilter)

**Purification, Dehydration and**  
**Filtration Division**  
 4087 Walden Avenue  
 Lancaster, NY 14086  
 T 716 685 4040, F 716 685 1010  
[www.airtek.com](http://www.airtek.com)

Sales Office  
 5900-B Northwoods Parkway  
 Charlotte, NC 28269  
 T 704 921 9303, F 704 921 1960  
[www.domnickhunter.com](http://www.domnickhunter.com)

**Engine Filtration &**  
**Water Purification**  
**Racor**  
 3400 Finch Road, PO Box 3208  
 Modesto, CA 95353  
 T 209 521 7860, F 209 529 3278  
[www.parker.com/racor](http://www.parker.com/racor)  
[www.parker.com/racorproducts](http://www.parker.com/racorproducts)  
[www.racorcustomers.com](http://www.racorcustomers.com)

**Racor**  
 850 North West St., PO Box 6030  
 Holly Springs, MS 38635  
 T 662 252 2656, F 662 274 2118

**Racor**  
 302 Parker Drive  
 Beaufort, SC 29906  
 T 843 846 3200, F 843 846 3230

**Racor -- Village Marine Tec.**  
 2000 West 135th Street  
 Gardena, CA 90249  
 T 310 516 9911, F 310 538 3048  
[www.villagemarine.com](http://www.villagemarine.com)

**Hydraulic Filtration**  
**Hydraulic Filter**  
 16810 Fulton County Road #2  
 Metamora, OH 43540-9714  
 T 419 644 4311, F 419 644 6205  
[www.parker.com/hydraulicfilter](http://www.parker.com/hydraulicfilter)

**Process Filtration**  
**Process Advanced Filtration**  
 2340 Eastman Avenue  
 Oxnard, CA 93030  
 T 805 604 3400, F 805 604 3401  
[www.parker.com/processfiltration](http://www.parker.com/processfiltration)

© Parker Hannifin Corporation  
 Bulletin 7518 Rev H (Dec 2010)

**Europe**  
**Compressed Air Treatment**  
**domnick hunter Industrial**  
 Dukesway, Team Valley Trading Estate  
 Gateshead, Tyne & Wear  
 England NE11 0PZ  
 T +44 (0) 191 402 9000,  
 F +44 (0) 191 482 6296  
[www.domnickhunter.com](http://www.domnickhunter.com)

**Hiross Zander**  
**Padova Business Unit**  
 Strada Zona Industriale 4  
 35020 S. Angelo di Piove Padova, Italy  
 T +39 049 9712 111, F +39 049 9701 911  
[www.dh-hiross.com](http://www.dh-hiross.com)

**Hiross Zander**  
**Essen Business Unit**  
 Zander Aufbereitungstechnik GmbH  
 Im Teelbruch 118  
 D-45219 Essen, Germany  
 T +49 2054 9340, F +49 2054 934164  
[www.zander.de](http://www.zander.de)

**Parker Gas Separations**  
 Oude Kerkstraat 4  
 P O Box 258  
 4870 AG Etten- Leur, Netherlands  
 T +31 76 508 5300, F +31 76 508 5333

**Engine Filtration &**  
**Water Purification**

**Racor**  
 Shaw Cross Business Park  
 Churwell Vale Dewsbury,  
 WF12 7RD England  
 T +44 (0) 1924 487000,  
 F +44 (0) 1924 487038  
[www.parker.com/rfde](http://www.parker.com/rfde)

**Racor Research & Development**  
 Parker Hannifin GmbH & Co KG  
 Inselstrasse 3 – 5  
 70327 Stuttgart Germany  
 T +49 (0)711 7071 290-0,  
 F +49 (0)711 7071 290 -70  
[www.parker.com/racor](http://www.parker.com/racor)

**Hydraulic Filtration**  
**Hydraulic Filter**  
 Stieltjesweg 8, 6827 BV  
 P.O. Box 5008 6802 EA  
 Arnhem, Holland  
 T +31 26 3760376, F +31 26 3643620  
[www.parker.com/eurofilt](http://www.parker.com/eurofilt)

**Urjala Operation**  
 Salmentie 260  
 31700 Urjala as Finland  
 T +358 20 753 2500, F +358 20 753 2501  
[www.parker.com/fi](http://www.parker.com/fi)

**Condition Monitoring Center**  
 Brunel Way Thetford,  
 Norfolk IP 24 1HP England  
 T +44 1842 763299, F +44 1842 756300  
[www.parker.com/cmcc](http://www.parker.com/cmcc)

**Process Filtration**  
**domnick hunter Process**  
 Durham Road, Birtley Co. Durham,  
 DH3 2SF England  
 T +44 (0) 191 410 5121,  
 F +44 (0) 191 410 5312  
[www.domnickhunter.com](http://www.domnickhunter.com)

**Asia Pacific**  
**Australia**  
 9 Carrington Road, Castle Hill  
 NSW 2154, Australia  
 T +61 2 9634 777, F +61 2 9899 6184  
[www.parker.com/australia](http://www.parker.com/australia)

**China**  
 280 YunQiao Road  
 JinQiao Export Processing Zone  
 Shanghai 101206 China  
 T +86 21 5031 2525, F +86 21 5834 3714  
[www.parker.com/china](http://www.parker.com/china)

**India**  
 Plot EL 26, MIDC, TTC Industrial Area  
 Mahape, Navi Mumbai 400 709 India  
 T +91 22 5613 7081, 82, 83, 84, 85  
 F +91 22 2768 6618 6841  
[www.parker.com/india](http://www.parker.com/india)

**Japan**  
 626, Totsuka-cho, Totsuka-ku  
 Yokohama-shi, 244-0003 Japan  
 T +81 45 870 1522, F +81 45 864 5305  
[www.parker.com/japan](http://www.parker.com/japan)

**Korea**  
 1-C Block, Industrial Complex of Jangan,  
 615-1, Geumui-Ri Jangan-Myeon,  
 Hwaseong-City Gyeonggi-Do, Korea  
 T +82 31 359 0771, F +82 31 359 0770  
[www.parker.com/korea](http://www.parker.com/korea)

**Singapore**  
 11, Fourth Chin Bee Road  
 Singapore 619 702  
 T +65 6887 6300, F +65 6261 4929  
[www.parker.com/singapore](http://www.parker.com/singapore)

**Thailand**  
 1023 3rd Floor, TPS Building  
 Pattanakam Road, Suanluang,  
 Bangkok 10250 Thailand  
 T +66 2717 8140, F +66 2717 8148  
[www.parker.com/thailand](http://www.parker.com/thailand)

**Latin America**  
**Parker Comercio Ltda.**  
**Filtration Division**  
 Estrada Municipal Joel de Paula  
 900 Eugenio de Melo,  
 Sao Jose dos Campos  
 CEP 12225390 SP Brazil  
 T +55 12 4009 3500, F +55 12 4009 3529  
[www.parker.com/br](http://www.parker.com/br)

**Pan American Division - Miami**  
 7400 NW 19th Street, Suite A  
 Miami, FL 33128  
 T 305 470 8800 F 305 470 8808  
[www.parker.com/panam](http://www.parker.com/panam)

**Africa**  
**Parker Hannifin Africa Pty Ltd**  
 Parker Place, 10 Berne Avenue,  
 Aeroport Kempton Park,  
 1620 South Africa  
 T +27 11 9610700, F +27 11 3927213  
[www.parker.com/eu](http://www.parker.com/eu)

